

## IN THE FRAME

For Parts  
&  
Accessories



**Cavendish Hardware**

**Unit 8, Tithe Street, Leicester LE5 4BN**


Tel: Leicester (0116) 274 2195 Fax: (0116) 246 1545

E.mail: [sales@cavendish-hardware.co.uk](mailto:sales@cavendish-hardware.co.uk)



# Cavendish Hardware

Parts and accessories for  
Steel & Aluminium Windows



At Cavendish Hardware we specialise in the unusual.

This catalogue contains many of the parts we are able to offer but does not list everything we can supply.

Many items are ex-stock for immediate despatch, but as some parts are becoming more difficult to track down they may require some time to find, or manufacture, if obsolete.

We can also offer a range of services which include.... Purpose made parts, Pressings, Nylon and Plastics machining, Folding, Laser cutting, Castings and Powder coating.

If there is anything you cannot find in the following pages, please give us a call, fax a sketch or E.mail an image of the part and we'll see if we can help.


















Call sales 0116 2741746, Sales/Technical 0116 2742195 or  
07000"4"CAVENDISH.

Fax: 0116 2461545. E.mail: [sales@cavendish-hardware.co.uk](mailto:sales@cavendish-hardware.co.uk)



1/1	1/2	1/3	1/4
1/5	1/6	1/7	1/8
1/9	1/10	1/11	1/12
1/13	1/14	1/15	1/16
	<p><i>We have many more "Archital Luxfer" parts in stock, too many to catalogue. Please send a sample, fax a sketch or E.mail a picture to identify.</i></p>		























		<p><i>When ordering please quote the numbers that are stamped on the balance. If for example the balance is stamped 2630 then the channel should measure 27". Please check this.</i></p>	
<p>2/1</p> 	<p>2/2</p> 		
<p>2/3</p> 	<p>2/4</p> 	<p>2/5</p> 	
<p>2/6</p> 	<p>2/7</p> 	<p>2/8</p> 	<p>2/9</p> 
<p>2/10</p>  <p>Warwick springs</p>	<p>2a/1</p> <p><i>We have access to many more components for cord and tape balances. Please send a sample, fax a sketch or E.mail a picture to identify.</i></p>	<p>2a/2</p> 	<p>2a/3</p> 
<p>2a/4</p>			



<p>a) a/t) c) c/t) t)</p>	<p>d) m) f) u) u/l)</p>	<p>a)</p> <p>b)</p>	<p>a)</p> <p>b)</p>
		<p>2b/2</p>	<p>2b/3</p>
<p>2b/1</p>	<p>2b/4</p>	<p>a)</p> <p>b)</p>	<p>Standard</p> <p>Tilt</p>
<p>2b/5</p>	<p>2b/5</p>	<p>2b/5</p>	<p>Tension tools - 2b/1b</p>
<p>a)</p> <p>b)</p>	<p>e)</p> <p>f)</p>	<p>h)</p> <p>i)</p> <p>j)</p>	<p>a)</p> <p>b)</p>
<p>2b/5</p>	<p>2b/5</p>	<p>2b/5</p>	<p>2b/6</p>
<p>a)</p> <p>b)</p>	<p>a)</p> <p>b)</p>	<p>a)</p> <p>b)</p> <p>c)</p> <p>d)</p>	<p>a)</p> <p>b)</p>
<p>2b/7</p>	<p>3/1</p>	<p>3/2</p>	<p>3/3</p>
	<p>a)</p> <p>b)</p> <p>d)</p> <p>c)</p>	<p>a)</p> <p>b)</p>	<p>a)</p> <p>b)</p>
<p>3/4</p>	<p>3/5</p>	<p>3/6</p>	<p>3/7</p>














































 <p>a)</p> <p>b)</p>	 <p>b)</p> <p>a)</p>	 <p>a)</p> <p>b)</p> <p>c)</p> <p>d)</p> <p>e)</p> <p>f)</p> <p>g)</p>	 <p>a)</p> <p>b)</p> <p>c)</p> <p>d)</p>
3/8	3/9	3/10	3/11
	 <p>a)</p> <p>b)</p>		<p><i>More catches, latches, lifts and locks available for vertical sliding sashes.</i></p> 
3/12	3/13	3/14	
	 <p>a)</p> <p>b)</p>	 <p>a)</p> <p>b)</p>	 <p>b)</p> <p>a)</p>
4/1	4/2	4/3	4/4
	 <p>a)</p> <p>b)</p>	 <p>a)</p> <p>b)</p>	 <p>a)</p> <p>b)</p>
4/5	4/6	4/7	4/8
	 <p>a)</p> <p>b)</p> <p>c)</p>	 <p>a)</p> <p>b)</p>	
4/9	4/10	4/11	4/12






















<p>a)</p> <p>b)</p>	<p>a)</p> <p>b)</p> <p>c)</p> <p>d)</p> <p>e)</p>	<p>a)</p> <p>b)</p>	
4/13	4/14	4/15	4/16
	<p>a)</p> <p>b)</p>	<p>a)</p> <p>b)</p> <p>c)</p>	
4/17	4/18	4/19	4/20
<p>a)</p> <p>b)</p>			
4/21	4/22	5/1	5/2
5/3	5/4	5/5	5/6
<p>a)</p> <p>b)</p>	<p>a)</p> <p>b)</p>		<p><i>We have several items not listed that are either salvage or purpose made to suit steel windows from the early 1900s and older. Please continue on to the next page for more standard fittings.</i></p>
5/7	5/8	5/9	



		a)  b) 	a)  d)  b)  e)  c)  f) 
5/10	5/11	5/12	5/13
a)  b)  c)  d) 	a)  b)  c) 	d)  e) 	
5/13FS	5/13WS	5/13WS	5/14
a)  b)  c)  d) 	 	 	 
5/15	5/16	5/17	5/18
 	a)  b)  c) 	a)  b) 	a)  c)  b) 
5/19	5/21	5/22	5/23
a)  c)  b) 	<p><i>If you can't see what you are looking for ..... please give us a call on .. 0116 2741746 or 0116 2742195 or 07000 "4"CAVENDISH and we'll try to help you out.</i></p>	<p><i>If an item is not listed fax us a "bad sketch" (as we can't understand the good ones!!!!!!!) Fax 0116 2461545.</i></p>	<p><i>If you can't draw us a bad sketch and you have access to a digital camera then you can E.mail it to us @ sales@cavendish-hardware.co.uk or ... drop a sample in the post.</i></p>
5/24			


































			
6/1	6/2	6/3	6/4
			<p><i>If you have a particular espagnolet handle requirement we will try and help out or suggest the nearest stock item.</i></p>
6/5	6/6	6/7	
			
7/1	7/2	7/3	7/4
			 <p><i>Electric openers can be supplied either AC or DC with a whole range of switch gear options. Details on application.</i></p>
7/5	7/6	7/7	7/8
			
8/1	8/2	8/3	8/4



















































<p>8/5</p>	<p>8/6</p>	<p>8/7</p>	<p>8/8</p> <p><i>Many more window locks available.</i></p>
<p>8/9</p>	<p>8/10</p>	<p>8/11</p>	<p><i>"Grip-Lok" Child safety lock. "Grip" to release latch to lock.</i></p>
<p>9/1</p>	<p>9/2</p>	<p>9/3</p>	<p>9/4</p>
<p>9/5</p>	<p>9/6</p>	<p>9/7</p>	<p>9/8</p> <p><i>We have access to many different types of hinge mechanisms. Give us a call and we'll try and help you out.</i></p>
<p>9/9</p>	<p>9/10</p>	<p>9/11</p>	




	<p>a) </p> <p>b) </p>	<p>a) </p> <p>b) </p> <p>c) </p>	<p>a) </p> <p>b) </p>
10/1	10/1W	10/2	10/3
			<p>a) </p> <p>b) </p>
10/4	10/5	10/6	10/6
	<p>a) </p> <p>b) </p> <p>c) </p> <p>d) </p>	<p>a) </p> <p>b) </p> <p>c) </p> <p>d) </p>	
10/7	10/8	10/8	10/9
			
10/10	10/11	10/12	10/13
<p></p> <p></p>	<p><i>There are also several other versions available for timber and u.p.v.c windows. Please call for details.</i></p>		
10/14		Inside glaze brackets.	Patch plates/channels.




<p>a) </p> <p>b) </p> <p>c) </p>	<p>a) </p> <p>b) </p> <p>c) </p> <p>d) </p>	<p>a) </p> <p>b) </p>	<p>a) </p> <p>b) </p>
11/1	11/2	11/3	11/4
<p>a) </p> <p>b) </p>		<p>a) </p> <p>b) </p> <p>c) </p> <p>d) </p>	 
11/5	11/6	11/7	11/8
 <p>a) </p>	<p>a) </p> <p>b) </p>	<p>a) </p> <p>b) </p> <p>c) </p>	<p>a) </p> <p>b) </p> <p>c) </p>
12/1	12/3	12/4	12/5
<p>a) </p> <p>b) </p> <p>c) </p>	<p>a) </p> <p>b) </p> <p>c) </p>	<p>a) </p> <p>b) </p>	<p>a) </p> <p>b) </p>
13/1	13/2	13/3	13/4
			<p>a) </p> <p>b) </p> <p>c) </p> <p>d) </p> <p>e) </p>
13/5	13/5H	13/5L	13/5C






*If you can't see what you are looking for ... give us a call, send us a fax or E.mail us @ sales@cavendish-hardware.co.uk or drop us a sample in the post.*



13/5P

13/6

14/1 Wrap-around Seal



*Brush strip is available with 180 degree carrier from stock. We carry limited stocks of 45 & 90 degree carrier. Sizes listed below.*












14/2 Two Part Seal



























14/3 Brush Strip

14/3 Guide Seal

14/4 Brush Pile





		<p><i>We have several pulleys available for cord operation.</i></p> 	
<p><i>Preston openers</i></p>	<p><i>Rack openers</i></p>	<p><i>Pulleys</i></p>	<p>15/1</p>
		 <p><i>Rubber Glazing Tape</i></p>	
<p>15/2</p>	<p>15/3</p>	<p>15/4</p>	<p>15/5</p>
	<p>a) </p> <p>b) </p>		
<p>15/6</p>	<p>15/7</p>	<p>15/8</p>	<p>15/9</p>
<p>a) </p> <p>b) </p> <p>c) </p> <p>d) </p> <p>e) </p> <p>f) </p>	<p>a) </p> <p>b) </p> <p>c) </p>		<p><i>Tungsten Carbide Scrapers</i></p> 
<p>15/10</p>	<p>15/11</p>	<p>15/12</p>	<p>15/13</p>
<p><i>Solar control &amp; safety films.</i></p> 	<p><i>Fly screen material.</i></p> 	<p><i>If we have it in stock we aim to ship next day. If we are out of stock we aim to send as soon as possible. If it is non-stock we aim to source it or suggest alternatives.</i></p>	<p><i>If any items have become obsolete and unavailable we'll try to reproduce them or adapt a standard fitting to suit. If we can't help we'll try to redirect you.</i></p>
<p>15/14</p>	<p>15/15</p>		



## DESCRIPTION

- |   |  |  |
|---|--|--|
| <p>1/1 - a) Archital 2710/68 Keep<br/>b) Archital 2610/360 pull catch L &amp; R</p> <p>1/2 - a) Archital double roller<br/>b) Archital skid guide s<br/>c) Archital replacement roller<br/>d) Archital roller &amp; carriage</p> <p>1/3 - a) Archital Iver peg stay<br/>b) Archital Iver 10 shouldered screw<br/>c) Archital Iver 42 peg stay hook<br/>d) Archital Iver 8 dovetail block<br/>f) Archital Iver 150b double peg &amp; clip</p> <p>1/4 - a) 2731/26 base/face folding opener<br/>b) 2772/47 face/face folding opener</p> <p>1/5 - a) Archital horizontal pull catch<br/>b) Archital bardic catch</p> | <p>1/6 - a) Archital VSS balance foot<br/>b) Archital VSS panel guide</p> <p>1/7 - a) Archital double stage keeper<br/>b) S/C fitch catch</p> <p>1/8 - a) Archital fitch catch<br/>b) Archital fitch catch cam</p> <p>1/9 - a) Archital std. float restrictor/panel guide (top) s<br/>b) Archital purpose made, special size float restrictor/panel guide (bottom)s</p> <p>1/10-a) Archital balance foot<br/>b) Archital balance foot insert s<br/>c) Archital balance foot coupling</p> | <p>1/11 - a) 791 HSS/VSS restrictor<br/>b) Short throw shoot bolt</p> <p>1/12 - a) Archital panel catch<br/>b) Archital gravity catch</p> <p>1/13 - a) Archital fan light float restrictor (large) s<br/>b) Archital fan light float restrictor (small)</p> <p>1/14 - a) Archital restrictor tongue<br/>b) Archital operating knob<br/>c) Archital operating key</p> <p>1/15 - Archital pivot sets</p> <p>1/16 - a) Archital remote control block<br/>b) Archital receiver</p> |
|---|--|--|
- 
- |   |  |  |
|---|--|--|
| <p>2/1 - Block &amp; tackle cord balances VSS</p> <p>2/2 - Block &amp; tackle overhead VSS s</p> <p>2/3 - a) Goose neck clip ) <i>Supplied to</i><br/>b) Wireform clip ) <i>specification</i><br/>c) 'D' clip ) <i>with cords</i></p> <p>2/4 - a) Pivot bar " "<br/>b) " " ) " "<br/>c) " " ) " "</p> <p>2/5 - a) Tilt block " "<br/>b) " " opp. hand "</p> <p>2/6 - a) " " ) "<br/>b) " " ) "</p> <p>2/7 - a) Tilt cam ) "<br/>b) Pivot block brake ) "<br/>c) Sash retainer ) "</p> <p>2/8 - a) Capped sash cam<br/>b) Standard sash cam<br/>c) Take out clip</p> <p>2/9 - a) Cam pivot ) "<br/>b) " " ) "<br/>c) " " ) "</p> | <p>2/10 - a) Locking terminal ) <i>Supplied to</i><br/>b) " " ) <i>specification</i></p> <p>2a/1 - Beclawat balances s</p> <p>2a/2 - Pullman balances s</p> <p>2a/3 - Tape balances (Alcan) s</p> <p>2a/4 - Warwick spring</p> <p>2b/1 - a) Spiral balances - standard<br/>at) Tilt balances<br/>c) pre-tensioned up to 27kg<br/>ct) tilt " " "<br/>t) pre-tensioned up to 42kg<br/>d) standard spiral 'D' type<br/>m) pre-tensioned H/duty<br/>f) " " std./duty<br/>u) Unique - std. &amp; H/duty<br/>u/l) Litelift up to 29.5kg</p> <p>2b/1 - b) Tension hook</p> <p>2b/2 - a) Alcan balance foot<br/>b) Heywood Williams foot s</p> | <p>2b/3 - a) Crittal balance foot - top<br/>b) " " " bottom</p> <p>2b/4 - a) Planet block<br/>b) 'U' bracket</p> <p>2b/5 - a) Universal balance shoe<br/>b) Side fix sash bracket<br/>c) " " " "<br/>d) " " " "<br/>e) " " " "<br/>f) " " " " s/steel<br/>g) bottom fix sash bracket<br/>h) horn pivot bar<br/>i) pivot bar<br/>j) pivot bar</p> <p>2b/6 - Terminal housings/<br/>tilt blocks</p> <p>2b/7 - Tilt guide latch</p> |
|---|--|--|
- 
- |   |  |   |
|---|--|---|
| <p>3/1 - a) SC fitch catch, lockable<br/>b) Keep</p> <p>3/2 - a) Cranked stainless keep<br/>b) Straight " "<br/>c) 2 stage keep - alu.<br/>d) Single stage keep - alu.</p> <p>3/3 - a) Key locking fitch catch<br/>b) Standard fitch catch</p> <p>3/4 - Allen key locking fitch catch</p> <p>3/5 - a) Wide fit face keep<br/>b) Std. fit face keep<br/>c) Bridge keep<br/>d) 2 stage keep</p> | <p>3/6 - a) Fitch catch<br/>b) Pull-in locking fitch catch</p> <p>3/7 - a) Lockable fitch catch<br/>b) Locking fitch catch</p> <p>3/8 - a) Fitch catch (LH &amp; RH)<br/>b) Keep to suit</p> <p>3/9 - a) Fitch catch<br/>b) Keep to suit</p> <p>3/10 - a) Top panel guide S<br/>b) 'Polo' univ. float restrictor<br/>c) Alcan panel guide<br/>d) Old 'Williams' panel guide<br/>e) Panel guide</p> | <p>3/10 - f) Panel guide<br/>g) " "<br/>h) " "</p> <p>3/11 - a) Pole hook<br/>b) Pole head<br/>c) VSS Channel pull<br/>d) Univ. operating pole</p> <p>3/12 - Univ. VSS/HSS lock</p> <p>3/13 - a) Sash lift<br/>b) " "</p> <p>3/14 - Old Heywood Williams<br/>catch/keep - conversion.</p> |
|---|--|---|



- 4/1 - Hook restrictor
- 4/2 - Key operated restrictor
- 4/3 - a) Restrictor stud  
b) Sliding restrictor stud
- 4/4 - a) Restrictor  
b) Restrictor stud
- 4/5 - Releasable restrictor
- 4/6 - a) Restrictor  
b) Peg
- 4/7 - a) Roller restrictor (100mm/152mm)  
b) Quadrant restrictor
- 4/8 - a) Segment stay (black/white)  
b) Segment stay
- 4/9 - Restrictor

- 4/10 - a) Restrictor  
b) "  
c) Peg/stud
- 4/11 - a) Restrictor  
b) Peg/stud
- 4/12 - Lockable
- 4/12 - Key
- 4/13 - a) Restrictor  
b) Peg/stud  
c) Reverse lock
- 4/14 - a) Restrictor  
b) Stud  
c) Stud  
d) Stud  
e) Reverse lock

- 4/15 - a) Releasable sliding restrictor  
b) Sliding restrictor
- 4/16 - Releasable sliding restrictor
- 4/17 - Sliding restrictor
- 4/18 - a) Restrictor  
b) Releasable restrictor
- 4/19 - a) Telescopic restrictor  
b) "  
c) "
- 4/20 - Restrictor
- 4/21 - a) Releasable restrictor  
b) Basic cord restrictor
- 4/22 - VSS/HSS restrictor

- 5/1 - SC handle (LH & RH) for rectangular bracket
- 5/2 - Brass handle (LH & RH) for 990 bracket - RTD
- 5/3 - SC handle (RH & LH) for no. 12 bracket
- 5/4 - Brass handle (LH & RH) for no. 12 bracket
- 5/5 - Brass handle (LH & RH) extended nose for no. 12 bracket
- 5/6 - Brass handle (LH & RH) for 990 bracket
- 5/7 - a) 8" brass stay - 3/16" stud  
b) 10" " " "
- 5/8 - a) 8" brass stay 5/16" stud  
b) 11" " " "
- 5/9 - SC fanlight stay - 150mm/210mm
- 5/10 - Brass stay RTD 155mm/200mm
- 5/11 - Brass stay RTD 150mm/200mm/250mm

- 5/12 - a) Brass/seradized slide stay  
b) Slide stay 210mm x 180mm  
260mm x 230mm  
310mm x 280mm
- 5/13 - a) 990 bracket  
b) No. 12 bracket  
c) Standard peg  
d) Cranked peg  
e) Stay bracket  
f) Stay rest
- FSa) 'F' section bracket  
b) " rest  
c) " pin  
d) " cranked peg
- WSa) W20 section bracket  
b) " I/G bracket  
c) " rest  
d) " cranked rest/peg  
e) " cranked peg

- 5/14 - Reversible HCP restrictor
- 5/15 - a) 'F' section thumb turn  
b) Reversible thumb turn  
c) Brass wedge  
d) Brass wedge
- 5/16 - Duplex set (RH & LH) SC/RTD sp/2pt state rod size
- 5/17 - W20 handle, two stage
- 5/18 - W20 handle, single stage
- 5/19 - W20 handle, locking
- 5/21 - a) 815 thumbturn  
b) 816 thumbturn  
c) Hook wedge 18mm/22mm
- 5/22 - a) Face fix hopper keep  
b) concealed " "
- 5/23 - a) No. 40 spring catch  
b) No. 36 " "  
c) Alu. spring catch
- 5/24 - a) & b) Pivot hinge  
c) Pivot restrictor

- 6/1 - SC/white/black casement handle locking/non-lock 9/13/17/21mm
- 6/2 - SC/white casement handle locking/non-lock 9/13/17/21mm
- 6/3 - Wedge risers - several sizes/colours

- 6/4 - a) Chrome casement handle - alternative for Z0018  
b) Alu. cockscur handle
- 6/5 - a) Espag.square drive handle  
b) Latching espag. handle

- 6/6 - a) Locking handle  
b) Locking unit  
c) Black keep  
d) 2 stage black keep
- 6/7 - a) Locking espag.handle  
b) Non. lock espag. handle

*Other handles available*

- 7/1 - a) Midi-drive - handle available  
b) Maxi-drive c/w handle
- 7/2 - Chain opener
- 7/3 - Screw-jack opener

- 7/4 - a) Connector  
b) Saddle assembly  
c) Conduit - 3 metre  
d) Cable - per metre

- 7/5 - a) Combination tool  
b) Former
- 7/6 - Cordlite opener
- 7/7 - a) Manual screwjack (pole/hand op.)  
b) Pole operator for screwjack



- |   |  |  |
|---|--|--|
| 8/1 - a) ERA - large pressbolt<br>b) ERA - standard pressbolt | 8/5 - a) Sash bolt<br>b) Patio presslock                   | 8/9 - a) Chubb 8K100<br>b) Chubb 8K101<br>c) Chubb 8012                    |
| 8/2 - a) Flush lock<br>b) Standard lock                       | 8/6 - a) Securistay - timber<br>b) Securistay - metal/alu. | 8/10 - a) Yale child lock<br>b) Chubb 8K108<br>c) Bramah metal window lock |
| 8/3 - a) Metal casement snaplock<br>b) Timber " "             | 8/7 - ERA door security bolt & key                         | 8/11 - Grip-lok  |
| 8/4 - a) Staylock<br>b) Swinglock (Steel & timber available)  | 8/8 - a) Chubb 8K106<br>b) Chubb 8K123                     |  |

*Many more locks available*

- 
- |   |  |  |
|---|--|--|
| 9/1 - Alcan Gardiner S.C.O.L.A. hinge for door                            | 9/6 - Aluminium concealed hinge        | 9/10 - a) Alu. butt hinge for windows<br>b) Door hinge           |
| 9/2 - 75mm brass casement repair hinge                                    | 9/7 - Friction hinges & restrictors    | 9/11 - a) Adjustable pivot<br>b) Pivot with restrictor mechanism |
| 9/3 - Brass fanlight repair hinge   | 9/8 - a) Side swing hinges<br>b) " " " |  |
| 9/4 - Brass W20 door hinge - 75mm/100mm                                   | 9/9 - Side swing hinges                |  |
| 9/5 - a) Reversible pivot hinge<br>b) Pin & brass bearing for steel doors |  |  |

*More available*

- 
- |  |  |  |
|--|--|--|
| 10/1 - Single folding opener steel window  | 10/6 - Folding opener - flush/<br>5/7/11/16mm                  | 10/9 - 90/150mm folding opener   |
| 10/1W - a) Single opener for wooden window<br>b) Double " " " "                                      | 10/6 - a) Releasable folding opener<br>b) Fold-back opener     | 10/10 - Folding opener   |
| 10/2 - a) Double folding opener steel window<br>b) Link rods - 450/600/750/900mm<br>c) Ring for rods | 10/7 - Folding opener - flush/<br>5/7/11/16mm                  | 10/11 - Swing-back folding opener  |
| 10/3 - a) Aluminium folding opener<br>b) Short throw folding opener (70mm)                           | 10/8 - a) Link rods & caps<br>b) Diamond ring                  | 10/12 - Releasable folding opener S  |
| 10/4 - Folding opener  | 10/8 - a) Standard ring<br>b) Diamond ring<br>c) Ring for 10/7 | 10/13 - Folding opener   |
| 10/5 - Folding opener  | d) Grip handle   | 10/14 - Extended folding opener<br>Suitable replacement for<br>Wallis 242. |

*Other openers/variations available*

- 
- |  |  |   |
|--|--|---|
| 11/1 - a) Aluminium casement stay ) <i>generally used</i><br>b) Steel casement stay ) <i>on mobile</i><br>c) Steel casement stay ) <i>classrooms</i> | 11/3 - a) Aluminium casement hdl.<br>b) Timber casement handle                     | 11/6 - 'D' type antique handle  |
| 11/2 - a) Aluminium peg<br>b) Central peg to suit steel stay<br>c) Offset " " " "<br>d) Projected " " "  | 11/4 - a) Antique stay - crook end<br>b) Antique stay - monkey tail<br>Peg to suit | 11/7 - a) Timber casement handle<br>b) " " "<br>c) Keep to suit<br>d) " " " |
|  | 11/5 - a) Antique handle - crook end<br>b) Antique handle - monkey tail end        | 11/9 - Union locking casement handle  |

- 
- |   |  |   |
|---|--|---|
| 12/1 - Single panic bolt<br>a) Single pad bolt        | 12/4 - a) Pad latch<br>b) Pad latch<br>c) Dogging device | 12/5 - a) Locking knob set<br>b) EURO knob set<br>c) EURO 'pull to open' handle |
| 12/3 - a) Concealed bar latch<br>b) Surface bar latch |  |   |



- |  |  |   |
|--|--|---|
| 13/1 - a) Flush bolt<br>b) Flush bolt<br>c) Flush bolt                   | 13/3 - a) Large panel lock<br>b) Handles to suit | 13/5C-a) Round cylinder<br>b) Profile cylinder                      |
| 13/2 - a) Steel door concealed bolt<br>b) " " " "<br>c) " " surface bolt | 13/4 - a) Small panel lock<br>b) Handles to suit | c) Cam plug<br>d) Round cylinder thumbturn<br>e) Profile cylinder " |
|  | 13/5 - Aluminium door deadbolt                   | 13/5P- Paddle handle  |
|  | 13/5H- Aluminium door hookbolt                   | 13/6 - Patio hook lock (thumbturn available)                        |
|  | 13/5L - Aluminium latch deadlock                 |   |
- 

- 14/1 - Wraparound roller shutter weatherseal - 10 metre coil  
 14/2 - Two part roller shutter weather seal - 12/16/24/36 metre lengths  
 14/3 - Brush strips - many sizes and carriers, as shown  
 14/3 - Guide Seal - 3 metre lengths  
 14/4 - Brush pile - 4.8mm and 6.7mm carrier with many pile heights - with/without fin  
 14/5 - Square back pile - 3mm
- 

Preston openers - Rack openers - Pulleys

---

- |   |   |  |
|---|---|--|
| 15/1 - Operating cords - by the metre and endless   | 15/7 - a) Low tack masking tape<br>b) Parcel tape   | 15/10 - e) Poly stud<br>f) Glazing stud                                |
| 15/2 - Glazing tapes - types on application   | 15/8 - Fixings - various  | 15/11- a) Bead - 9 x 12.5<br>b) Bead - 12.5 x 9<br>c) Bead 12.5 x 12.5 |
| 15/3 - Dry glazing (Timba Glaze) - 9mm x 4mm  | 15/9 - Twinfast woodscrews  | 15/12 - Glazing clips  |
| 15/4 - Glazeptra glazing rubber - various sizes   | 15/10- a) Square corners to suit bead<br>b) Round corners " " "<br>c) Bead stud 12.5mm<br>d) " " 9.00mm | 15/13 - Tungsten carbide scrapers                                      |
| 15/5 - Silicone sealants - various colours  |   | 15/14 - Solar control film   |
| 15/6 - Various sprays - maintenance, penetrating & release, silicone, chain lubricant, foaming cleaner, air duster, hand cleaner. |   | 15/15 - Fly screens  |
- 

s - Special item, sourced or manufactured to order

**August 2000 E & OE**



# PARTS ORDER CHECKLIST



## BALANCES

**CORD:** What number marked, Length, Window/Sash size, Which clip, Vertical or Overhead balance.

**SPIRAL:** Tube length/Tube diameter, Casing - Aluminium/Plastic: Grey/White Colour Code, Number on spiral shaft/shoe. Shoe (foot) type, Window/Sash size, Standard/Pre-tensioned balance.

## FOLDING OPENERS

Size/Length of opener, Hole centres, Step size, Parallel/90 degree bracket, Finish/Material, Throw (opening size), Window-Steel/Aluminium/Timber/Plastic.

## HANDLES

Finish/Material, L/H or R/H, Fixing hole centres, Single/Double point, Step size, Lock/Non-lock-Captive/cylinder, Distance from stud centre to end of nose, Bracket type, if duplex-rod length, Risers-Colour/Thickness.

## PEG STAYS

Overall length, Distance from stud hole centre to last hole centre, Stud size, Material/Finish, Bracket/Peg/Rest type.

## HINGES

Dimensions, Hole centres, Centre of pin to hole centres, Material/Finish. If possible remove hinge and draw round/Sketch.

## FITCH CATCHES

Cam height from base, Lock/Non-lock-Captive/Cylinder, Material/Finish, Hole Centres, L/H-R/H, Keep type.

## FRICTION STAYS

Length, Stack Height, Back width, Top hung/Side hung, Standard/Restricted, Window type - Aluminium/Plastic/Timber.

## PANEL LOCKS

What hand is the door from outside, Single/Double, Fixings inside or outside.

## BRUSH PILE

Back width, Pile height, With/Without fin, Colour.

## BRUSH STRIP




Trim out size, Carrier size, Carrier angle - 45/90/180 Degree

If in doubt always provide a sketch with dimensions, make a note of other fittings on the window. Make a note of part numbers and logos etc. Any information will help us to help you.

Cavendish Hardware 2000

*With grateful thanks to Catherine, without whom this catalogue would not have been produced.*





Cavendish Hardware  
August 2000

